

=> d his full

(FILE 'HOME' ENTERED AT 18:26:50 ON 15 JAN 2009)

FILE 'REGISTRY' ENTERED AT 18:27:13 ON 15 JAN 2009

L1 STRUCTURE UPLOADED

L2 1 SEA SSS SAM L1

L3 25 SEA SSS FUL L1

FILE 'CAPLUS' ENTERED AT 18:28:10 ON 15 JAN 2009

L4 2 SEA ABB=ON PLU=ON L3

D IBIB AB HITSTR 1-2

FILE 'MARPAT' ENTERED AT 18:32:35 ON 15 JAN 2009

L5 1 SEA SSS FUL L1

L6 0 SEA ABB=ON PLU=ON L5 NOT L4

FILE 'BEILSTEIN' ENTERED AT 18:32:56 ON 15 JAN 2009

L7 0 SEA SSS FUL L1

FILE 'CAPLUS' ENTERED AT 18:33:09 ON 15 JAN 2009

FILE HOME

FILE REGISTRY

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 14 JAN 2009 HIGHEST RN 1093730-37-0

DICTIONARY FILE UPDATES: 14 JAN 2009 HIGHEST RN 1093730-37-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

FILE CAPLUS

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 15 Jan 2009 VOL 150 ISS 3

FILE LAST UPDATED: 14 Jan 2009 (20090114/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>

FILE MARPAT

FILE CONTENT: 1961-PRESENT VOL 150 ISS 2 (20090109/ED)

MARPAT RECORDS ARE DERIVED FROM INPI DATA FOR 1961-1987

MOST RECENT CITATIONS FOR PATENTS FROM MAJOR ISSUING AGENCIES
(COVERAGE TO THESE DATES IS NOT COMPLETE):

US	20080293792	27	NOV	2008
DE	102007023256	20	NOV	2008
EP	1994930	26	NOV	2008
JP	2008291018	04	DEC	2008
WO	2008144956	04	DEC	2008
GB	2449363	19	NOV	2008
FR	2916200	21	NOV	2008
RU	2338533	20	NOV	2008
CA	2590111	25	NOV	2008

Expanded G-group definition display now available.

The new MARPAT User Guide is now available at:

<http://www.cas.org/support/stngen/stndoc/marpat.html>.

FILE BEILSTEIN

FILE LAST UPDATED ON April 1, 2008

FILE COVERS 1771 TO 2008.

FILE CONTAINS 10.322,808 SUBSTANCES

>>>PLEASE NOTE: Reaction Data and substance data are stored in separate documents and can not be searched together in one query. Reaction data for BEILSTEIN compounds may be displayed immediately with the display codes PRE (preparations) and REA (reactions). A substance answer set retrieved after the search for a chemical name, a compounds with available reaction information by combining with PRE/FA, REA/FA or more generally with RX/FA. The BEILSTEIN Registry Number (BRN) is the link between a BEILSTEIN compound and belonging reactions. For more detailed reaction searches BRNs can be searched as reaction partner BRNs Reactant BRN (RX.RBRN) or Product BRN (RX.PBRN).<<<


>>> FOR SEARCHING PREPARATIONS SEE HELP PRE <<<

* PLEASE NOTE THAT THERE ARE NO FORMATS FREE OF COST.	*
* SET NOTICE FEATURE: THE COST ESTIMATES CALCULATED FOR SET NOTICE	*
* ARE BASED ON THE HIGHEST PRICE CATEGORY. THEREFORE; THESE	*
* ESTIMATES MAY NOT REFLECT THE ACTUAL COSTS.	*
* FOR PRICE INFORMATION SEE HELP COST	*

>>> Price change as of January 1st, 2008: Connect Time and Structure
Search fees re-introduced. See NEWS and HELP COST <<<

=> d que stat

L1 STR



Structure attributes must be viewed using STN Express query preparation.

L7 0 SEA FILE=BEILSTEIN SSS FUL L1

100.0% PROCESSED 322 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.02